



IP-Octal Opto

Eight Channel Optically Isolated
Universal Interface Serial
Communications IndustryPack®

User's Manual

IP-Octal Opto

Eight Channel Optically Isolated Universal Interface Serial Communications IndustryPack®

This document contains information of proprietary interest to GreenSpring Computers. It has been supplied in confidence and the recipient, by accepting this material, agrees that the subject matter will not be copied or reproduced, in whole or in part, nor its contents revealed in any manner or to any person except to meet the purpose for which it was delivered.

GreenSpring Computers has made every effort to ensure that this manual is accurate and complete. Still, the company reserves the right to make improvements or changes in the product described in this document at any time and without notice. Furthermore, GreenSpring Computers assumes no liability arising out of the application or use of the device described herein.

The electronic equipment described herein generates, uses, and can radiate radio frequency energy. Operation of this equipment in a residential area is likely to cause radio interference, in which case the user, at his own expense, will be required to take whatever measures may be required to correct the interference.

GreenSpring's products are not authorized for use as critical components in life support devices or systems without the express written approval of the president of GreenSpring Computers, Inc.

This product has been designed to operate with IndustryPack carriers and compatible user-provided equipment. Connection of incompatible hardware is likely to cause serious damage.

SBS GreenSpring Modular I/O
181 Constitution Drive
Menlo Park, CA 94025
(415) 327-1200
(415) 327-3808 FAX

© SBS GreenSpring Modular I/O, Inc.
IndustryPack is a registered trademark of GreenSpring Computers.
Manual Revision iii.

Table of Contents

Product Description	5
VMEbus Addressing.....	8
NuBus Addressing.....	10
ISA (PC-AT) Bus Addressing.....	11
I/O Pin Assignments	12
IndustryPack Logic Interface Pin Assignment	14
Programming	16
ID PROM.....	17
User Options.....	18
RS-232 Interface Wiring.....	19
RS-422 Interface Wiring.....	21
Current Loop Interface Wiring	23
I/O Wiring Pin Assignments.....	26
Shunt Locations.....	29
Component Information.....	30
Construction and Reliability.....	31
Warranty and Repair.....	32
Specifications	33
Order Information.....	34

List of Figures

Figure 1	Block Diagram of IP-Octal Opto Serial.....	5
Figure 2	Summary of Communication Standards.....	6
Figure 3	Register Map of SCC2698, Blocks A and B.....	8
Figure 4	Register Map of SCC2698, Blocks C and D.....	9
Figure 5	P2 I/O Pin Assignment (Pack A).....	12
Figure 6	P4 I/O Pin Assignment (Pack B).....	13
Figure 7	P1 Logic Interface Pin Assignment (Pack A).....	14
Figure 8	P3 Logic Interface Pin Assignment (Pack B).....	15
Figure 9	Location of the Vector Register.....	16
Figure 10	ID PROM Data (hex).....	17
Figure 11	IP-Octal Opto Output To RS-232.....	20
Figure 12	IP-Octal Opto Input From RS-232.....	20
Figure 13	IP-Octal Opto Output To RS-422.....	22
Figure 14	IP-Octal Opto Input From RS-422.....	22
Figure 15	IP-Octal Opto Active Current Loop Output.....	24
Figure 16	IP-Octal Opto Current Loop Input.....	24
Figure 17	IP-Octal Opto Passive Current Loop Output.....	25
Figure 18	IP-Octal Opto Isolated Transmit Data Pin Assignments.....	26
Figure 19	IP-Octal Opto Isolated Receive Data Pin Assignments.....	26
Figure 20	Non-Isolated RS-232 Data Pin Assignments.....	27
Figure 21	External Power Input Connections.....	28
Figure 22	External Power Loopback Connections.....	28
Figure 23	Miscellaneous Bias Voltages.....	28
Figure 24	IP-Octal Opto Shunt Locations (Assembly Diagram).....	29
Figure 25	Resistor Network Cross Reference.....	30

Product Description

IP-Octal Opto is part of the IndustryPack™ family of modular I/O components. It is a double wide IndustryPack built around the Signetics CMOS SCC2698B Octal Universal Asynchronous Receiver/Transmitter. This component provides eight channels of full-duplex asynchronous serial communications, baud rate generators, state change detection logic, and four 16-bit counter/timers. IP-Octal Opto provides a versatile way of implementing optically isolated serial communication lines to any of five communication standards: RS-232, RS-422, RS-423, 20 mA current loop, or full isolation. In addition, non-standard communication levels can frequently be accommodated. Data rates to 48.4 Kbaud asynchronous are supported.

A block diagram of the IP-Octal Opto is shown below in Figure 1. The IP-Octal Opto provides eight channels of transmit and receive data without modem control signals. Each channel has its own UART and optical buffer. All the optical buffers on the board share a common external ground reference and must be configured to operate at the same voltage levels. All eight receive lines and all eight transmit lines are optically buffered. In addition, all lines have conventional RS-232 connections that are not optically buffered. These connections are provided as a convenience for setup and testing. They may also be used on a permanent basis in place of the optically buffered lines on a per line basis. This permits the mixing of optically isolated and non-isolated channels.




Figure 1 Block Diagram of IP-Octal Opto Serial

The maximum recommended voltage differential between any two external lines or between any external line and the host system ground is 60 volts. This recommended voltage limitation is due to

the close component spacing and the limits of factory testing as well as operator safety. Typical breakdown voltage is much higher.

An external power supply must be used to achieve full isolation of the host electronics from the external lines. Most conventional power supplies are transformer isolated from the power line and are suitable for this purpose. The user may also provide jumper wires on the appropriate IP-Octal Opto I/O pins to connect the host supply as the necessary external supply. This may be done on a temporary basis for setup and testing or a permanent basis. Even if the host power supplies are used permanently, the optical isolation provides a significant noise and over-voltage improvement over conventional single-ended serial communication implementations.

Different interface levels require different external voltage supplies. Figure 2 below shows which power supplies are required by each interface. External ± 12 volt supplies are standard, and support RS-232, RS-423, fully isolated, and current loop interfaces. A +5 supply is also needed for RS-422 interfacing. Only a single +12 volt supply is needed for the fully isolated option.

Full isolation is not a standard communication option. This mode is supported by the IP-Octal Opto. Full isolation has two advantages over standard communication levels: (i) only a single external power supply is needed, (ii) the communication lines are fully optically isolated from the electronics at *both* ends of the line. Taking advantage of this option requires an IP-Octal Opto or similar circuitry at each end of the communication line. This option is recommended for maximum isolation against induced or connected noise, or when the user has no control over the security of the communication line.

Comm Standard	Power Supplies	Nominal Swing	Nominal Load
RS-232	± 12 V	± 5 to ± 12 V single-ended	3 K Ω typical
RS-423	± 12 V	± 6 V single-ended	450 Ω to 3 K Ω
RS-422	+5 V	+1 to +3 differential	100 to 150 Ω typical
20 mA	± 12 V	20 mA ON or OFF	varies
Full isolation*	+12 V	0 to 12 volts single-ended	1 K Ω typical

* Full isolation is not an industry standard, but is an option supported by IP-Octal Opto. See text for details.

Figure 2 Summary of Communication Standards

The optical transmit and receive line buffers on the IP-Octal Opto use Siemens ILQ2 quad optocoupler components. Like all optocouplers these are basically current-mode devices. An optocoupler consists of one LED and one photo-transistor in a single package. When current flows through the LED its light causes the photo-transistor to also conduct current. The circuitry on the IP-Octal Opto is designed so that the nominal ON current is 10 mA and the nominal OFF current is zero or negative. Since most standard communication lines are voltage based, resistor values for resistor packs on the IndustryPack are chosen to convert the nominal voltage swing to a 10 mA current.

The 20 mA current loop is an old standard originally used for Teletypes. It is different from the other standards in that the idle state (“Mark”) has the current ON, and the signaling state (“Space”) has the current OFF. This is the reverse ON/OFF polarity of other common communication protocols. The IP-Octal Opto has exclusive NOR gates on the input and output line that may be used to implement this logic state reversal in support of 20 mA current loop interfaces. Also, resistor values are chosen to increase the nominal currents through the optocouplers from 10 mA to 20 mA.

Vectored interrupts are fully supported. A common 8-bit vector register is provided. Channels a, b, c, and d interrupt on IRQ0. Channels e, f, g, and h interrupt on IRQ1. The IP-Octal Opto has no support for DMA transfers.

All connections to the IP-Octal Opto are made through a standard 50-conductor ribbon cable. A six foot 50-conductor ribbon cable and a 50 screw terminal block are included in the IP-Octal Opto Engineering Kit. Reprints of the Data Sheets for the SCC2698B, Schematic and PAL equations are also part of the IP-Octal Opto Engineering Kit. This Kit is recommended for first time users of the IP-Octal Opto.

VMEbus Addressing

IP-Octal Opto is accessed using 8-bit bytes at odd locations only. It is usually accessed in the I/O space. Shown below in Figures 3 and 4 are the register maps of the IP-Octal Opto. All addresses are offsets from the I/O base address of the IP as set on the IP carrier board.

The SCC2698B Octal UART has four major internal sections, called functional blocks A through D. Each functional block has two serial channels, one timer, and one I/O port.

Hex	Dec	Binary	Read	Write
Functional Block A				
1	1	0000001	MR1a, MR2a	MR1a, MR2a
3	3	0000011	SRa	CSRa
5	5	0000101	RESERVED	CRa
7	7	0000111	RHRa	THRa
9	9	0001001	IPCRA	ACRA
B	11	0001011	ISRA	IMRA
D	13	0001101	CTUA	CTURA
F	15	0001111	CRLB	CTLRB
11	17	0010001	MR1b, MR2b	MR1b, MR2b
13	19	0010011	SRb	CSRb
15	21	0010101	RESERVED	CRb
17	23	0010111	RHRb	RHRb
19	25	0011001	RESERVED	RESERVED
1B	27	0011011	INPUT PORT A	OPCRA
1D	29	0011101	START C/T A	RESERVED
1F	31	0011111	STOP C/T A	RESERVED
Functional Block B				
21	33	0100001	MR1c, MR2c	MR1c, MR2c
23	35	0100011	SRc	CSRc
25	37	0100101	RESERVED	CRc
27	39	0100111	RHRc	THRc
29	41	0101001	IPCRB	ACRB
2B	43	0101011	ISRB	IMRB
2D	45	0101101	CTUB	CTURB
2F	47	0101111	CRLB	CTLRB
31	49	0110001	MR1d, MR2d	MR1d, MR2d
33	51	0110011	SRd	CSRd
35	53	0110101	RESERVED	CRd
37	55	0110111	RHRd	THRd
39	57	0111001	RESERVED	RESERVED
3B	59	0111011	INPUT PORT B	OPCRB
3D	61	0111101	START C/T B	RESERVED
3F	63	0111111	STOP C/T B	RESERVED

Figure 3 Register Map of SCC2698, Blocks A and B

Hex	Dec	Binary	Read	Write
Functional Block C				
41	65	1000001	MR1e, MR2e	MR1e, MR2e
43	67	1000011	SRe	CSRe
45	69	1000101	RESERVED	CRe
47	71	1000111	RHRe	THRe
49	73	1001001	IPCRC	ACRC
4B	75	1001011	ISRC	IMRC
4D	77	1001101	CTUC	CTURC
4F	79	1001111	CRLC	CTLRC
51	81	1010001	MR1f, MR2f	MR1f, MR2f
53	83	1010011	SRf	CSRf
55	85	1010101	RESERVED	CRf
57	87	1010111	RHRf	THRf
59	89	1011001	RESERVED	RESERVED
5B	91	1011011	INPUT PORT C	OPCRC
5D	93	1011101	START C/T C	RESERVED
5F	95	1011111	STOP C/T C	RESERVED
Functional Block D				
61	97	1100001	MR1g, MR2g	MR1g, MR2g
63	99	1100011	SRg	CSRg
65	101	1100101	RESERVED	CRg
67	103	1100111	RHRg	THRg
69	105	1101001	IPCRD	ACRD
6B	107	1101011	ISRD	IMRD
6D	109	1101101	CTUD	CTURD
6F	111	1101111	CRLD	CLRDR
71	113	1110001	MR1h, MR2h	MR1h, MR2h
73	115	1110011	SRh	CSRh
75	117	1110101	RESERVED	CRh
77	119	1110111	RHRh	RHRh
79	121	1111001	RESERVED	RESERVED
7B	123	1111011	INPUT PORT D	OPCRD
7D	125	1111101	START C/T D	RESERVED
7F	127	1111111	STOP C/T D	RESERVED

Figure 4 Register Map of SCC2698, Blocks C and D

Interrupt mapping is a function of the carrier board. Refer to your IP carrier board User Manual for more information.

For NuBus and ISA bus applications refer to the following sections: NuBus Addressing and ISA Bus Addressing.

NuBus Addressing

Since the NuBus uses only 32-bit wide accesses, 8-bit wide peripherals such as the IP-Octal Opto appear in the host address space every fourth byte.

To calculate the RM1260 Springboard register addresses from the VMEbus address (given in the previous section in Figures 3 and 4), multiply by two and subtract one. To convert VME addresses to RM1270 SupportBoard addresses multiply by two and add one.

Interrupt mapping is a function of the carrier board. Refer to your IP carrier board User Manual for more information.

ISA (PC-AT) Bus Addressing

ISA (PC-AT) bus addressing requires computing the address from the byte addresses given in Figures 3 and 4 above under VMEbus Addressing. The formula is:

$$\text{ISA bus byte address} = \text{VMEbus byte address} - 1$$

The effect of this formula is to change all 68K odd byte addresses into Intel architecture even byte addresses. All byte data is still transferred on data lines D0..D7.

Interrupt mapping is a function of the selected carrier board. See your IP carrier board User Manual for more information.

I/O Pin Assignments

This section gives the I/O pin assignments for IP-Octal Opto connections.

Pin Number	Function
1	External Common (GND)
2	Channel 6 RS-232 Rx/D
3	Channel 7 RS-232 Tx/D
4	External Common (GND)
5	Channel 7 RS-232 Rx/D
6	Channel 8 RS-232 Tx/D
7	External Common (GND)
8	Channel 8 RS-232 Rx/D
9	GND
10	External Pull Up 1
11	GND
12	External Pull Up 2
13	GND
14	External Pull Up 3
15	External Common (GND)
16	+5V Input
17	+5V Input
18	+12V Input
19	+12V Input
20	+12V Output
21	+12V Output
22	-12V Input
23	-12V Input
24	-12V Output
25	-12V Output
26	-6V Bias Output
27	External Common (GND)
28	+5V Bias Output
29	External Common (GND)
30	-12V Bias Output
31	External Common (GND)
32	+12V Bias Output
33	RS-422 Bias Output
34	RS-422 Bias Output
35	External Common (GND)
36	GND
37	+5V Output
38	+5V Output
39	+5V Output
40	+5V Output
41	+5V Input
42	+5V Input
43	+12V Input
44	+12V Input
45	+12V Output
46	+12V Output
47	-12V Input
48	-12V Input
49	-12V Output
50	-12V Output

Figure 5 P2 I/O Pin Assignment (Pack A)

Pin Number	Function
1	Channel 1 Optically Isolated TxD-
2	Channel 1 Optically Isolated TxD+
3	Channel 1 Optically Isolated RxD-
4	Channel 1 Optically Isolated RxD+
5	Channel 2 Optically Isolated TxD-
6	Channel 2 Optically Isolated TxD+
7	Channel 2 Optically Isolated RxD-
8	Channel 2 Optically Isolated RxD+
9	Channel 3 Optically Isolated TxD-
10	Channel 3 Optically Isolated TxD+
11	Channel 3 Optically Isolated RxD-
12	Channel 3 Optically Isolated RxD+
13	Channel 4 Optically Isolated TxD-
14	Channel 4 Optically Isolated TxD+
15	Channel 4 Optically Isolated RxD-
16	Channel 4 Optically Isolated RxD+
17	Channel 5 Optically Isolated TxD-
18	Channel 5 Optically Isolated TxD+
19	Channel 5 Optically Isolated RxD-
20	Channel 5 Optically Isolated RxD+
21	Channel 6 Optically Isolated TxD-
22	Channel 6 Optically Isolated TxD+
23	Channel 6 Optically Isolated RxD-
24	Channel 6 Optically Isolated RxD+
25	Channel 7 Optically Isolated TxD-
26	Channel 7 Optically Isolated TxD+
27	Channel 7 Optically Isolated RxD-
28	Channel 7 Optically Isolated RxD+
29	Channel 8 Optically Isolated TxD-
30	Channel 8 Optically Isolated TxD+
31	Channel 8 Optically Isolated RxD-
32	Channel 8 Optically Isolated RxD+
33	Not Connected
34	Not Connected
35	External Common (GND)
36	Channel 1 RS-232 TxD
37	Channel 2 RS-232 TxD
38	Channel 1 RS-232 RxD
39	Channel 2 RS-232 RxD
40	External Common (GND)
41	External Common (GND)
42	Channel 3 RS-232 TxD
43	Channel 4 RS-232 TxD
44	Channel 3 RS-232 RxD
45	Channel 4 RS-232 RxD
46	External Common (GND)
47	External Common (GND)
48	Channel 5 RS-232 TxD
49	Channel 6 RS-232 TxD
50	Channel 5 RS-232 RxD

Figure 6 P4 I/O Pin Assignment (Pack B)

IndustryPack Logic Interface Pin Assignment

Figures 7 and 8 below gives the pin assignments for the IndustryPack Logic Interface on the IP-Octal Opto. Pins marked n/c below are defined by the specification, but not used on the IP-Octal Opto.

GND	GND	1	26
CLK	+5V	2	27
Reset*	R/W*	3	28
D0	IDSel*	4	29
D1 n/c	5	30	
D2	MEMSel*	6	31
D3 n/c	7	32	
D4	INTSel*	8	33
D5 DMAck0*	9	34	
D6	IOSel*	10	35
D7 DMAck1*	11	36	
n/c	A1	12	37
n/c	n/c	13	38
n/c	A2	14	39
n/c	n/c	15	40
n/c	A3	16	41
n/c	IntReq0*	17	42
n/c	A4	18	43
n/c	IntReq1*	19	44
n/c	A5	20	45
n/c	n/c	21	46
-12V	A6	22	47
+12V	Ack*	23	48
+5V	n/c	24	49
GND	GND	25	50

Note 1: The no-connect (n/c) signals above are defined by the IndustryPack Logic Interface Specification, but not used by this IP. See the Specification for more information.

Note 2: The layout of the pin numbers in this table corresponds to the physical placement of pins on the IP connector. Thus this table may be used to easily locate the physical pin corresponding to a desired signal. Pin 1 is marked with a square pad on the IndustryPack.

Figure 7 P1 Logic Interface Pin Assignment (Pack A)

GND	GND	1	26
n/c	+5V	2	27
n/c	n/c	3	28
n/c	n/c	4	29
n/c	n/c	5	30
n/c	n/c	6	31
n/c	n/c	7	32
n/c	n/c	8	33
n/c	n/c	9	34
n/c	n/c	10	35
n/c	n/c	11	36
n/c	n/c	12	37
n/c	n/c	13	38
n/c	n/c	14	39
n/c	n/c	15	40
n/c	n/c	16	41
n/c	n/c	17	42
n/c	n/c	18	43
n/c	n/c	19	44
n/c	n/c	20	45
n/c	n/c	21	46
-12V	n/c	22	47
+12V	n/c	23	48
+5V	n/c	24	49
GND	GND	25	50

Note 1: The no-connect (n/c) signals above are defined by the IndustryPack Logic Interface Specification, but not used by this IP. See the Specification for more information.

Note 2: The layout of the pin numbers in this table corresponds to the physical placement of pins on the IP connector. Thus this table may be used to easily locate the physical pin corresponding to a desired signal. Pin 1 is marked with a square pad on the IndustryPack.

Figure 8 P3 Logic Interface Pin Assignment (Pack B)

Programming

The IP-Octal Opto is designed around the SCC2698B and all of the SCC2698B functions are available. The SCC2698B is divided into four Functional Blocks identified as A through D. Each functional block contains two serial channels. The channels are identified by lower case letters a through h. The SCC2698B contains 64 internal registers, 16 for each functional block. Each of these registers is accessible using a read or write to the I/O space of the IP-Octal Opto. The SCC2698B manual is included with the Technical Documentation of the IP-Octal Opto Engineering Kit to provide the user with detailed information about these registers.

The IndustryPack provides an external interrupt vector register. The address of the vector register, which may also be read normally, is in the upper half of the ID PROM space and in the Memory Space of the IndustryPack. The address offsets are shown in Figure 9.

Carrier	Bus	Address
VIPC310	VMEbus	IP base + \$C1
VIPC610	VMEbus	IP base + \$C1
MVME162	VMEbus	IP Memory base + \$1
RM1260	NuBus	IP ID base + \$81
RM1270	NuBus	IP ID base + \$83
ATC4	ISA Bus	IP ID base + \$C0

Figure 9 Location of the Vector Register

The eight bit vector is loaded by the host software prior to enabling interrupts. The interrupt service routine polls the SCC2698B to determine the detailed cause of the interrupt. Function Blocks A and B interrupt on IRQ0. Function Blocks C and D interrupt on IRQ1. See the User Manual for your IP Carrier for interrupt mapping to your bus. Note that although two distinct interrupt levels are provided, there is a single vector for the IndustryPack.

ID PROM

Every IP contains an ID PROM, whose size is at least 32 x 8 bits. The ID PROM aids in auto configuration of software and configuration management. The user's software, or a supplied driver, may verify that the device it expects is actually installed at the location it expects and is nominally functional. The ID PROM contains the manufacturing revision level of the IP. If a driver requires that a particular revision be present, it may check for it directly.

Standard data in the ID PROM on the IP-Octal Opto is shown in Figure 10 below. The ID PROM used is an 82S123.

For more information on IP ID PROMs refer to the IndustryPack Logic Interface Specification, available from GreenSpring Computers.

The location of the ID PROM in the host's address space is dependent on which carrier is used. Normally, for VMEbus and ISA (PC-AT) bus carriers, the ID PROM space is directly above the IP's I/O space at IP-base + \$80. Macintosh drivers use the ID PROM automatically. RM1260 address may be derived from Figure 10 below by multiplying the addresses given by two, then subtracting one. RM1270 addresses may be derived by multiplying the addresses given by two, then adding one. ISA bus addressing may be derived by subtracting one from the addresses listed below in Figure 10.

3F	(available for user)	
19		
17	CRC	(AD)
15	No of bytes used	(0C)
13	Driver ID, high byte	(00)
11	Driver ID, low byte	(00)
0F	reserved	(00)
0D	Revision	(0C)
0B	Model No IP-Octal Opto	(2F)
09	Manufacturer ID GreenSpring	(F0)
07	ASCII "C"	(43)
05	ASCII "A"	(41)
03	ASCII "P"	(50)
01	ASCII "I"	(49)

Figure 10 ID PROM Data (hex)

User Options

User options consist of configuring the optical interface of the IP-Octal Opto for the electrical requirements of various communications protocols. This section describes three configurations of the IP-Octal Opto for external serial data communication channels.

The IP-Octal Opto contains two sets of on board circuitry for each of its eight channels. It includes a conventional non-isolated RS-232 interface that may be used for monitoring or test purposes. It also includes an optically isolated send and receive interface. In general, it is not possible to connect both receive interfaces for any channel at the same time, (since the data from the two interfaces is exclusive NOR'd together).

Before connecting the isolated interface, it is recommended that the system integrator first connect to the non-isolated RS-232 interface and leave the isolated interface connections open. Testing in this way assures that addressing, interrupts, and other host and software issues are out of the way prior to testing the isolated interfaces.

Two basic methods of connecting the isolated interface are described in this section: isolated RS-232 and isolated RS-422. Note that in both cases an isolated external power supply is required. Note also that the RS-232 and RS-422 interfaces do not themselves fully conform to the RS specifications, but are completely reliable if connected to conforming equipment.

The IP-Octal Opto may also be wired to support Teletype® style current loops and doubly isolated current loops.

Caution: *The optical isolation on the IP-Octal Opto is primarily for the purpose of noise reduction. It is not provided to meet safety regulations of any kind. The isolation voltage is specified as ± 60 volts.*

RS-232 Interface Wiring

Wiring for prototype purposes or for low volume production may be conveniently and reliably accomplished using the terminal block supplied in the Engineering Kit for the IP-Octal Opto.

Make the following changes to the default IP-Octal Opto to implement RS-232 compatibility on the isolated inputs and outputs:

1. Check that shunt E4 connects E4.1–E4.2. This controls the output polarity.
2. RP3 should be installed, and have a value of $2K\Omega$. (See component information in Figure 25 below.)
3. Set shunt E5 to connect E5.2–E5.3.
4. Check that RP7 and RP8 have a value of $1K\Omega$ (the standard default value).
5. Non-isolated RS-232 input lines should be left open.
6. Isolated +12 and –12 volt power must be connected. Use the signal names +12IN and –12IN. +5 volt power is not used. See Figures 21 and 22 below, Figures 5 above or the schematic for pin numbers. The +12OUT and –12OUT may be looped-back for this power if no isolation is desired (when testing, for example). Use ExtCom as the external common signal for both power supplies and connect ExtCom to GND if looped-back local power supplies are used.
7. Connect the RS-232 output signal from the IP-Octal Opto (TXn– for each channel n) to the external equipment's serial input (RxD). See Figure 11 below.
8. Connect the TXn+ signal for each channel n of the IP to the external +12 power. See Figure 11 below.
9. Connect the RS-232 common (pin 7 on a standard DB-25 connector) to the ExtCom external power supply common line.
10. Connect the RS-232 output from the transmit (TxD) of the external equipment to the IP's serial input, RXn+ of each channel n. See Figure 12 below.
11. Connect the RXn– of each channel n to the ExtCom power supply external common line. See Figure 12 below.

The external power supplies do not need to be particularly well regulated, although 60 Hz or 120 Hz ripple is preferred to switching power supply noise. The range of 9 to 15 volts will generally work reliably, although 12 volts is the preferred nominal value. Be sure to connect the common line from the power supplies to ExtCom and *not* to the logic ground to maintain the isolation of the optical interface. The power lines into the IP are fused, polarity protected, over-voltage protected and filtered. If everything is connected properly but there is no observable output from the IP be sure to check the fuses. (Turn off all power and use a DMM to measure resistance directly across the fuse.)

The IP output circuit is shown on page 2 of the schematics. The transmit output of the SCC2698 is not inverted by U5 but it can be inverted by adjusting jumper block E4. The output of U5 drives the LED in the optocoupler. The LED is normally off if the Octart is not transmitting. Thus the optocoupler output transistor is normally not conducting and RP3 provides a passive pull-down on the output to –6 volts. When the Octart sends a Space bit, the optocoupler turns on and the output line is pulled up to a nominal +12 volts. The output line must not be shorted, or the output transistor in the optocoupler may be blown. The output voltage swing (no load) is about –6 volts to +12 volts.

The output polarity may be reversed by changing shunt E4 to the E4.2–E4.3 position.

If it is desired to protect the outputs against a short circuit, make the following changes to the numbered instructions above:

8. Leave the TXn+ signal for each channel n of the IP open.
The output voltage swing (no load) is about –6 volts to +6 volts.

The input circuit has a 1KΩ resistor in series with the LED of the optocoupler. It is designed to run at 5 to 10 mA nominal ON current, which corresponds to an input voltage of about +6 to +12 volts for positive voltage (Space), and any negative voltage for Mark. Polarity may be reversed by reversing the RXn+ and RXn- connections or by connecting the non-isolated RS-232 input (RXn_232) to +12IN.




Figure 11 IP-Octal Opto Output To RS-232




Figure 12 IP-Octal Opto Input From RS-232

RS-422 Interface Wiring

Wiring for prototype purposes or for low volume production may be conveniently and reliably accomplished using the terminal block supplied in the Engineering Kit for the IP-Octal Opto.

RS-422 is a differential voltage signaling standard. This wiring arrangement may also be used to interface with point-to-point (non-multidrop) RS-485, since they share the same voltage specifications. With minor modifications, this wiring arrangement may also be used with RS-423.

Make the following changes to the default IP-Octal Opto to implement RS-422 compatibility on the isolated inputs and outputs:

1. Move shunt E4 to connect E4.1–E4.2. This changes the output polarity.
2. Verify RP2 is installed and has a value of $1\text{ K}\Omega$ (the standard default value).
3. RP3 should be installed, and have a value of $1.2\text{ K}\Omega$. (See component information in Figure 25 below.)
4. Set shunt E5 to connect E5.2–E5.3.
5. Change RP7 and RP8 to a value of $100\ \Omega$.
6. Non-isolated RS-232 input lines should be left open.
7. Isolated +12, –12 and +5 volt power must be connected. Use the signal names +12IN, –12IN and +5IN. See Figures 21 and 22 below, Figures 5 above or the schematic for pin numbers. The +12OUT, –12OUT and +5 OUT may be looped-back for this power if no isolation is desired (when testing, for example). Use ExtCom as the external common signal for all power supplies (and connect ExtCom to GND if looped-back local power supplies are used).
8. Connect the RS-422+ serial input signal from the external equipment (Rx+ or RD(B)) to the 422Bias signal from the IP-Octal Opto. Use any or all of pins P2.33, 34. This provides a fixed bias voltage of about 0.75 volts DC. See Figure 13 below.
9. Connect the external RS-422– output signal (TXn–) for each channel from the IP-Octal Opto to the external equipment's serial input– (Rx– or RD(A)). The external RS-422 receiver should be terminated at 100Ω or 120Ω . See Figure 13 below.
10. Connect the external equipment's ground to the external power supply common. This signal also connects to the external power supply common line ExtCom on the IP.
11. Connect the RS-422 input+ from the external equipment's transmitter (Tx+ or SD(B)) to the IP's serial input (RXn–) of each channel. See Figure 14.
12. Connect the RS-422 input– from the external equipment's transmitter (Tx– or SD(A)) to RXn+ of each channel. See Figure 14.

Reversing the phase relationship described in s